

LEDrail 4100 GAP

Proof that less is more.

The 4-100 gap offers all the lumen package of it's more renown big brother the LEDrail 4100 without the need for continuous runs. Ideal for installations requiring the same high quality output as the LEDrail 4100 without the aesthetic of a single continuous row of light the LEDrail 4100 gap is the solution for you.

Retail

IP 40



SPEC SHEET

LEDrail 4100 106

Raw Lumen: 10,536 lm
Effective Lumen: 9003 lm

14,925 lm
11,871 lm

16,400 lm
13,856 lm

240V:
Raw Efficacy: 172 lm/w
Effective Efficacy: 147 lm/w

89W
168 lm/w
134 lm/w

98W
168 lm/w
142 lm/w

Max Ta: 40°C
L&B: L80 B10
35°C 100K hrs

35°C
L80 B20
35°C 100K hrs

40°C
L80 B50
35°C 100K hrs

Fitting Size: **2813mm**

See our full brochure for other sizes and specifications.

KEY FEATURES

MODULAR

- With extra Lumen Packages up to 21,900 lm.

OPTICS


- 8 different acrylic optics for multiple lens optic combinations.

5 SIZE OPTIONS

- LEDrail 4100 GAP 104 1700mm
- LEDrail 4100 GAP 106 2800mm

MOUNTING OPTIONS

- P2000 Trunking



Optional: Bluetooth, Wifi, Dali & Bi Level. Casambi App featured above.



*25°C is for Textbooks, Not Africa's Sun: All EW Lights are designed for the 30°C Reality. Minimum.

Designed and Manufactured by

energywise

Better Light Through Research.

sales@energywise.co.za | www.energywise.co.za

T: +27 31 764 2345 / +27 87 941 0012

Physical address: Unit 5 Edstan Business Park, 2 Ibhumbesi Road, Riverhorse Valley, Durban, South Africa, 4017

Postal address: PO Box 1166, Kloof, South Africa, 3640

5 year warranty:
Please visit
www.energywise.co.za



8 Distribution Options

